	Application No.	Applicant(s)
Notice of Allowability	10/787,518	HARRIS ET AL.
	Examiner	Art Unit
	Jeffrey L. Sterrett	2838
	Jemey L. Sterrett	2000
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this apport of the communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to		
2. ☑ The allowed claim(s) is/are <u>1-30</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority un a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have	been received. been received in Application No	
International Bureau (PCT Rule 17.2(a)). * Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🖾 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🖾 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ⊠ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E [] Nation of Informal [latent Application (DTO 152)
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) 		ratent Application (PTO-152)
2. Motice of Dialiperson's Patent Diawing Neview (P10-940)	Paper No./Mail Da	te
 Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 	8), 7. 🛛 Examiner's Amendr	ment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Statement	ent of Reasons for Allowance
of Biological Waterial	9.	Jeffrey Sterrett Primary Examiner
		Colle (Some

An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. § 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the Issue Fee.

Page 2

EXAMINER'S AMENDMENT

In The Drawings

Note attached copies of the drawings corrected in red.

REASONS FOR ALLOWANCE

The claimed invention of a multiphase DC/DC converter is found to be allowable over the prior art since a multiphase DC/DC converter converting N input voltages including at least one dissimilar input voltage into an output voltage with minimal ripple and comprising a PWM controller that optimizes the relative phases of N PWM signals based on the voltage levels of the N input voltages was not found to be singularly or collectively taught by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey L. Sterrett whose telephone number is (571) 272-2085. The examiner can normally be reached on Monday-Thursday & 8:00am-5:00pm.

Application/Control Number: 10/787,518

Art Unit: 2838

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Karl D. Easthom can be reached on (571) 272-1989. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jeffrey L. Sterrett Primary Examiner Art Unit 2838


effer L Samuel

Page 3


Examiner's Amendment To Drawings - Attachment To Paper 20060208


2/8


Approved ALA 218106



╁










FIG. 10